

PRODUCT CATALOGUE



Women's Health partner through life



For over 50 years

Canesten® has been helping women around the world understand, treat and prevent intimate infections and discomfort. Today we offer a range of **effective products and services** that help them **restore comfort** and **proactively care** for their intimate health through life, while also **supporting them in breaking the stigma and misinformation** around intimate health issues.

A successful brand rooted in breakthrough science


Synthesis of the first azole derivative, clotrimazole by the Bayer researcher, Professor Karl Heinz Büchel.

Canesten first Rx-to-OTC switch.

Canesten intimate hygiene wash launches.

Canesten BV launches.

Canesten Menopause launches.



VULVOVAGINAL CANDIDIASIS

Clotrimazole

VAGINAL: For infections of the genital region (vaginitis) caused by fungi (usually Candida), and superinfections caused by clotrimazole-sensitive bacteria. To be used preferably at bedtime.

EXTERNAL: For infections of the labia and adjacent areas as well as inflammation of the glans and prepuce of the sexual partner caused by yeast fungi (candidal vulvitis and candidal balanitis).

Vaginal Cream



- | | | |
|------------------|---|--|
| Clotrimazole 10% | > | Single dose for 1-day treatment in a pre-filled applicator. |
| Clotrimazole 2% | > | Cream tube with 3 separate applicators to fill. Once daily for 3 days. |
| Clotrimazole 1% | > | Cream tube with 6 separate applicators to fill. Once daily for 6 days. |

Vaginal Tablet



- | | | |
|---------------------|---|--|
| Clotrimazole 500 mg | > | Single-dose 1 day treatment with applicator. |
| Clotrimazole 200 mg | > | 3 tablets with applicators, once daily for 3 days. |
| Clotrimazole 100 mg | > | 6 tablets with applicator, once daily for 6 days. |

Vaginal Soft Ovule



- | | | |
|---------------------|---|--|
| Clotrimazole 500 mg | > | Single-dose 1 day treatment with applicator. |
|---------------------|---|--|

External Cream



- | | | |
|-----------------|---|---|
| Clotrimazole 1% | > | Cream in a tube without applicator. Apply the cream to the affected area (external) 2-3 times a day for 1-2 weeks during the infection. |
| Clotrimazole 2% | > | |

Fluconazole

For the treatment of genital candidiasis, i.e. candidal vaginitis and candidal balanitis. The treatment of partners of patients with symptomatic genital candidiasis should also be considered.

Combination

For infections of both genital region (vaginitis) and labia or adjacent area caused by fungi (usually Candida) and superinfections caused by clotrimazole-sensitive bacteria.

Oral Capsule



- Fluconazole 150 mg**
Single-dose 1 day treatment for oral use.



Vaginal clotrimazole (tablet, soft ovule or cream) + external clotrimazole cream



Oral fluconazole + external clotrimazole cream

BACTERIAL VAGINOSIS

Lactic acid, Glycogen

Treats bacterial vaginosis by restoring and maintaining normal pH and vaginal flora. Rapidly relieves vaginal discomfort, odor, and abnormal discharge. Could be used in case of recurrence of symptoms or vaginal imbalance to help restore normal pH and vaginal flora.



Vaginal Gel

Vaginal gel in pre-filled applicator. Use 1 applicator daily for 7 days, preferably before bedtime.



Vaginal Pessaries

7 comfort-shaped vaginal pessaries. Use 1 pessary daily for 7 days, preferably before bedtime.

VAGINAL SELF-TEST

Helps to diagnose between bacterial vaginosis and vulvovaginal candidiasis.



Clinically tested with more 90% accuracy.
Easy to use, results in seconds.

URINARY COMFORT

Helps maintain urinary tract function and supports normal bladder function.



Oral Sachet

D-mannose 2g , prebiotics
Astragalus and Dandelion extract.

1 to 2 sachets per day dissolved
in water.

INTIMATE DISCOMFORT & CARE

For rapid and long-lasting relief
from vaginal dryness, burning and itching.

Vaginal Dryness Gel



Ectoin 2%, lactic acid

Once daily, preferably in the evening, 1 hour
before bedtime (if necessary, use panty liners). If
required, it can be used less often (with one/two/
three days interval).

External Soothing Cream



Glycine, Colloidal Oatmeal,
Menthyl Ethylamido Oxalate

To be applied as needed, externally on
the vulva. Do not rinse off with water.

Intimate comfort.

Intimate hygiene.

Oral Probiotics



Lactobacillus helveticus LAFTI L10,
Lactiplantibacillus plantarum LP-PBS067,
Lactocaseibacillus rhamnosus LRh - LRH020,
Bifidobacterium lactis BL - BL050) and vit B2

30 capsules, once daily with water on
an empty stomach or 30 min before meal.

Intimate Wash Gel



Canesfresh
Soothing wash gel.
12h of comfort.



Canesfresh
Sensicare Daily
wash gel.

MENOPAUSE

A menopause support plan delivering scientifically formulated products,
expertly crafted digital services and guidance.



Night



Hops 50 mg (100µg 8-PN),
Ashwagandha 300mg,
Magnesium, Vitamin B6

30 oral tablets. Once daily
preferably in the evening.

Multi Support



Red Clover 200 mg (80mg
isoflavones), 19 vitamins
& minerals

30 oral tablets. Once daily.

Canesmeno Hub

Helps to navigate through menopause with
confidence, with education, trackable insights
and downloadable results that can help
for conversation with HCPs.

Vaginal Dryness, Burning & Itching



Ectoin 2%, lactic acid


Once daily, preferably in
the evening, 1 hour before
bedtime (if necessary, use
panty liners). If required,
it can be used less often
(with one/two/three days
interval).

Focus & Energy



Hops 50 mg (100µg
8-PN), Soy isoflavones,
Zinc, Vitamin C & B6

30 oral tablets. Once daily.



Scan here to access
the CanesMeno Hub

PRODUCTS

Regulatory status

[illegible]

[S1] Canesten® 1VC: 500 mg Clotrimazole per 5g Vaginal Cream U/20.2.2/205. [S1] Canesten® Duoapak: Clotrimazole 500mg Vaginal tablet and Clotrimazole 10mg/g Cream 30/20.2.2/0111. [S1] Canesten® 1 Vaginal Tablet: Clotrimazole 500mg Q/20.2.2/281. [S1] Canesten® 3 VC: 20mg Clotrimazole per 1g Vaginal Cream A39/20.2/0589. [S1] Canesten® Soft Gel Ovoids: Each ovoid contains clotrimazole 500mg. 48/20.2.2/0483. [S1] Canesten® Vaginal Cream K/20.2.2/187. [S1] Canesten® Vaginal Tablets: 100mg Clotrimazole Vaginal Tablet E/20.2.2/47. [S1] Canesten® Topical Cream: Clotrimazole 10mg/g Cream E/20.2.2/49. For full prescribing information, refer to the Professional Information approved by the medicines regulatory authority, Bayer (Pty) Ltd. Collaboration Hub, 1st Floor, Waterfall Circle, 9 Country Estate Drive, Waterfall City, Midrand, 2090, South Africa. Co. Reg No. 1968/011192/07. Tel: +27 11 921 5000. Not all products are registered with SAHPRA (South Africa), but registered or marketed in countries which SAHPRA aligns with their Regulatory Authorities (ie MHRA (UK), Health Canada, TGA (Australia) as shown in the table above. CH-20250912-24